

Table 26. Gas Home Customer-Weighted Heating Degree Days

Census Divisions	Cumulative November 1 through November 30				
	Normal ^a	1999	2000	Percent Change	
				Normal to 2000	1999 to 2000
New England					
CT, ME, MA, NH, RI, VT	692	608	723	4.5	18.9
Middle Atlantic					
NJ, NY, PA	646	537	692	7.1	28.9
East North Central					
IL, IN, MI, OH, WI	730	592	788	7.9	33.1
West North Central					
IA, KS, MN, MO, ND, NE, SD	788	564	921	16.9	63.3
South Atlantic					
DE, FL, GA, MD and DC, NC, SC, VA, WV	421	356	499	18.5	40.2
East South Central					
AL, KY, MS, TN	431	350	507	17.6	44.9
West South Central					
AR, LA, OK, TX	280	198	397	41.8	100.5
Mountain					
AZ, CO, ID, MT, NV, NM, UT, WY	715	546	925	29.4	69.4
Pacific ^b					
CA, OR, WA	342	310	445	30.1	43.5
U.S. Average ^b	559	452	648	15.9	43.4

^a Normal is based on calculations of data from 1961 through 1990.

^b Excludes Alaska and Hawaii.

Note: See Appendix A, Explanatory

Note 10 for discussion of Heating Degree-Days computations.

Sources: National Oceanic and Atmospheric Administration.

